FIBROADENOMA AND HOMOEOPATHY

Miasmatic aspects of fibroadenoma breast

Dr. Rajneesh Kumar Sharma MD (Hom)

Fibroadenoma and Homoeopathy

© Dr. Rajneesh Kumar Sharma M.D. (Homoeopathy) Dr. Swati Vishnoi B.H.M.S. Homoeo Cure & Research Institute NH 74, Moradabad Road, Kashipur (Uttaranchal) INDIA Pin- 244713 Ph. 05947- 260327, 9897618594

E. mail- drajneeshhom@hotmail.com

www.treatmenthomoeopathy.com www.homeopathictreatment.org.in www.homeopathyworldcommunity.com





Contents


II II 0 4 0 C 1 0 1	
Incidence	2
Symptoms of Fibroadenoma	2
Clinical Signs	3
Causes of Fibroadenoma	3
Types of Fibroadenoma	3
Pathophysiology	3
Histopathology	3
Diagnosis of Fibroadenoma	2
Surgical Treatment of Fibroadenoma	
Complications of Fibroadenoma	
Homoeopathic Treatment of Fibroadenoma	
Calcarea carbonica	
Calcarea fluorica	
Conium maculatum	
Baryta carbonica	
Hydrastis Canadensis	
lodium	
Lapis albus	
Repertory of Fibroadenoma	
Bibliography	13

Introduction

Fibroadenomas are the most common benign tumors of the female breast. They develop at any age but are more common in young women, often teenagers, and are mistaken for cancer.

It is a benign breast growth (Pseudopsora/ Sycosis) that most commonly presents in teenage girls and women under the age of thirty. The presence of a fibroadenoma mass in a breast often causes women anxiety (Psora/ Pseudopsora)

and concern, partly because people associate any type of breast lump with cancer. Fibroadenoma carries a very slight menace for future breast cancer, but the majority of fibroadenoma are benign breast growths. They may be excised but frequent recurrence is common.



The fibroadenoma is the most common circumscribed benign solid tumor (Pseudopsora/ Sycosis) of the breast. As its name implies, it is composed of fibrous and adenomatous elements. A rarer variation is the fibroadenolipoma, which is an encapsulated lesion (Pseudopsora) that may represent a hamartoma (Pseudopsora/ Sycosis) and contains, as the name implies, fat, fibrous, and adenomatous tissue elements. The fibroadenoma is hormonally sensitive (Psora) and is more common in the young female. Beginning in the teenage years fibroadenomas are the most commonly biopsied solid lesion (Sycosis) of the breast, and this remains true through the mid-30s. As solid lesions they cannot be distinguished from well-circumscribed malignancy by either physical examination or imaging methods. Fibroadenomas are found frequently in postmenopausal women as well, but because of their hormone sensitivity they usually involute and become hyalinized. In some women this results in calcification (Psora), and these calcifications are among the most distinctive mammographically. Fibroadenomas do not become malignant, but frequently can grow to enormous size (giant fibroadenoma), and a potentially malignant cystosarcoma phylloides (Cancerous) cannot be distinguished from a fibroadenoma except that it usually grows very rapidly.

Incidence

Nearly 90% of breast masses in women are the result of benign lesions and are usually fibroadenoma in women in their 20s or 30s.

Symptoms of Fibroadenoma

A fibroadenoma tends to be sphere shaped, with a smoother surface (Sycosis) than most malignant breast cancers (Cancerous). While malignant tumors tend to be immobile (Sycosis), fibroadenoma growths move (Pseudopsora) easily within the breast.

Fibroadenoma growths are usually painless (Sycosis), but size and location of the growth can cause breast tenderness or pain (Psora/ Pseudopsora). A fibroadenoma feels slightly malleable or rubbery to the touch

(Pseudopsora) when examined. While younger women tend to have clearly defined fibroadenoma growths, older women may present with breast calcification (Psora) rather than masses.

These are usually isolated breast masses. In ten to fifteen percent of cases multiple fibroadenomas may occur, and may be present in both breasts.

Clinical Signs

- Palpable mass for young women, feels like small, slipper marbles. (Psora/ Pseudopsora)
- Mammographic density for older women.
- Mass is more circumscribed and mobile than carcinoma. (Psora/ Pseudopsora)

Causes of Fibroadenoma

Estrogen sensitivity (Psora) is thought to play a role in fibroadenoma growth. Some tumors may increase in size towards the end of the menstruation or during pregnancy (Sycosis).

After menopause, many fibroadenomas spontaneously shrink due to lower estrogen levels (Psora/ Syphilis). Hormone therapy for postmenopausal women may prevent fibroadenomas from shrinking.

Types of Fibroadenoma

All fibroadenoma are composed of glandular cells and fibroconnective, or stromal, cells. The majority of fibroadenoma do not grow larger than one to three centimeters, but some may grow to over five centimeters, in length.

These unusually divided into two subcategories.

- Giant Fibroadenoma-large growths.
- Juvenile fibroadenomas- in teenagers are often referred to as juvenile fibroadenomas.


Pathophysiology

Exact cause is unknown. It may possibly due to increased fat consumption (Psora).

- Composed of both fibrous and glandular tissue (Pseudopsora/ Sycosis).
- More frequent occurrence in upper outer quadrant of breast.
- Can grow as a spherical nodule to a size from <1cm to 10-15cms. (Pseudopsora)
- Fibroadenomas are hormonally responsive increases in size may occur during late phases of the menstrual cycle (Psora)

Histopathology

- Well presence of both basement membrane and myoepithelial cells.
- Composed of 2 parts-
- Delicate cellular fibroblastic stroma resembling stroma of intralobular tissue
- Glandular/cystic spaces lined by epithelium and enclosed by stromal component.




A. No mass is evident on this positive-mode study. Note the wide band of "toner-rob" along the chest wall. B. The carcinoma is visible along the chest wall (arrows) in the area that was blank on the positive-mode image.

Diagnosis of Fibroadenoma

- Physical examination.
- Mammogram.
- Breast ultrasound.
- Biopsy.
- Fine needle aspiration cytology.

While biopsy is the only sure way to confirm fibroadenoma, young women in their teens to mid-twenties may not require a biopsy if the lump meets all the requirements for a characteristic fibroadenoma mass.




A. Carcinoma is not well seen on positive- and negative-mode xerography owing to a gradual fading of the margins into the surrounding tissue and a failure of edge enhancement as a result. B. The infiltrating carcinoma is obvious with the high soft-tissue contrast of the film -screen study.

Surgical Treatment of Fibroadenoma

As benign growths, fibroadenomas are not always removed from the breast. Instead, the mass is left and carefully monitored for changes in shape and size. Whether fibroadenomas are removed depends on a number of physical and psychological factors. Viz.

- Tumor size- If tumor size or location causes pain or discomfort, then the fibroadenoma may be removed.
- Patient concerns and anxieties- If a woman is uneasy with the idea of a breast mass remaining untreated, the fibroadenoma may be removed to alleviate her anxiety.
- A fibroadenoma may be removed under local anesthetic, either through surgery or through the use of a fine needle. If a biopsy is required to rule
- Out malignancy, the entire fibroadenoma may be removed.



The "typical" appearance of breast cancer with spiculated, ill-defined margins. Although rare benign lesions may look like this, this appearance is cancer until proven otherwise.

Complications of Fibroadenoma

- Women with fibroadenoma have a slightly higher risk of breast but not by a significant amount.
- Very rarely, cancerous cells are found in fibroadenoma biopsy samples, but almost all fibroadenoma are benign.
- Complications from fibroadenomas are not uncommon. Biopsies and fibroadenoma removal, like all surgical procedures, carry the risk of bleeding, scarring, and post-operative infection.
- After a fibroadenoma is removed, its recurrence is quite common.

Homoeopathic Treatment of Fibroadenoma

Calcarea carbonica

Breasts are hot and swollen. Chronic cystic mastitis. Blunt duct adenosis; best remedy for fibroadenoma. Lump in breast is hard, nodular and tender to touch in the beginning. Then the pains are reduced and the lump turns to be hard due to calcification. Calcarea acts best when the tumours are calcified. These breasts are swollen and

tender before menses. Deficient lactation. The breasts are distended in lymphatic women. Patient complains of profuse sweating around the genitalia with dirty smell. Inflammatory condition of the breast.

With breast condition patient has the mental symptoms due to sufferings. Patient is anxious, tired and weak, both mentally and physically.

Calcarea fluorica

This remedy is indicated in the fibroadenoma of the breast. Lump in the breast which is hard, movable with clear margins which are sharp in nature, or their edges are sharply defined. Most commonly they are solitary, very rarely multiple. Occurs in young patients usually unmarried. Nodules are in upper right quadrants.

The patient is sad and depressed due to financial condition. Confused due to melancholic condition of mind. Patient is chilly, and she is very sensitive to cold air, cold wind and cold atmosphere in general. Genitals are sore. Urine is copious and offensive. Pain at the tip of the urethra while urinating and after the act. Pain in back extending to sacrum.

Conium maculatum

Mammary glands are hard and sore. A typical carcinoma of the breast, that is, scirrhous adenocarcinoma, which begins in the ducts and ends in the parenchyma. As the stage advances the Cooper's ligament shortens and thus it produces the notch. Sometimes the condition is associated with the inflammation of the breast tissue. The region is hard and nodular, tender to touch. Burning and stinging pains in the breast. The skin over the tumour is adherent. Occasionally there is discharge of pus from the nipple. The lesion is hard, almost cartilaginous. The edges are distinct, serrated and irregular; associated with productive fibrosis.

Baryta carbonica

Inflammation, induration and enlargement are the fundamental pathogeneses of this drug. The mammary gland is enlarged and there is a lump, which is hard. There is very sensitive to touch. The glands which are enlarged are tender with infiltration. The women of late twenties are affected. These patients present with hard but not serrated mass with firm rubbery consistency. Their edges are sharply defined. Most commonly the tumours solitary. or occasionally are multiple. They are differentiated from cancer by smooth rather than irregular lobulations. A bloody discharge from nipple is indication of this drug. All the glands of the body are very sensitive to cold and they are worse by taking cold. The skin over the gland becomes ulcerated. It is seen that this remedy works better in Paget's disease of nipple which is supposed to be primary carcinoma of the mammary gland.

Hydrastis Canadensis

These patients have the tendency to indurated glands. Swelling of the mammary glands. Fat necrosis and glandular cell myoblastoma are common in this remedy. Fat necrosis tumour is probably post-traumatic.

Patient complains of pain and tenderness. The lesion is fixed to the breast tissue, which sometimes causes dimpling of the overlying skin. Engorged nipples, cracks and discharges of watery fluid or there is serosanguinous discharge.

The patient is weak and emaciated, fainting due to improper assimilation or defective assimilation. All-gone sensation or empty feeling in the stomach, not relieved by eating. Chronic catarrhal condition of the membrane of the stomach. Patient is thirstless. Obstinate constipation, colicky and crampy pain in the abdomen. Liver is enlarged and tender.

Iodium

This remedy predominantly acts on the enlargement of the mammary glands which may be either neo-plastic or malignant.

The mucous membranes of the glands and the breast tissue are inflamed. The breast tissues are hypertrophied, enlarged, hard and nodular. Emaciation of the patient due to malabsorption. The tumours are well differentiated. They have a discrete capsule. Small lesions present leaf-like intracanalicular protrusions and large lesions have cystic space. Inflammation of the lesions, ulceration occasionally, excoriating and acrid discharge from the nipple or from the lesion. Oedematous swelling of the affected breast.

Lapis albus

The main action of this remedy is on the the glands of mammary region. These glands have the tendency to turn malignant. Remarkable results are observed in scrofulous condition of the glands. Fibroid tumours, intense burning pains in the parts. The tumours have pliability and a kind of softness rather than hardness. The margins are clear. The glands are elasticity, exactly the reverse of Calc. fluorica.

Other remedies- Con > Carbo an > Aster > Apis > Hydr > Phyto > Sil > Cham > Bufo > Ars i > Chim, > Cal f > Bell > Calc > Lyco > Fl ac > Phos > Iod > Bry > Thuja > Graph > Lap a > Brom > Nit ac > Puls > Sec > Sep > Hep > Bell p > Kali I > Lach > Sulph > Thyroid > Calc I > Cund > Arn > Ars a > Oen > Tub > MIF > Pl iod > Scro n > Cal p > Cist > Clem > Kalb r > Acon > Calen > Sabin > Sang > Carb v > Scir > Colo > Kali m > Merc > Berb a > Carc > Fer I > Gnaph > Hecla > Murx > psor > Ust > Lac c > Calc s > Crot h > Crot t > etc..

Repertory of Fibroadenoma

Breast disorders in general acon-l. Acon. aesc. aeth. agar. agath-a. aids. all-s. allox. aln. aloe alum-p. alum-sil. alum. alumn. Am-c. am-m. ambr. amp. anac. anan. ang. ant-c. ant-m. ant-t. APIS arg-met. Arg-n. arge-pl. Arn. ars-br. Arsi. ars-s-f. ARS. arum-t. Asaf. Asc-t. Aster. Aur-ar. aur-m-n. aur-m. aur-n-f. aur-s. aur. Bad. Bamb-a. bapt. bar-c. bari. bar-m. bar-s. Bell-p. BELL. benz-ac. berb-a. berb. beryl-m. BORX. Bov. Brom. BRY. BUFO Cact. cadm-calc-f. cadm-m. cadm-met. Cadm-s. calad. calc-f. calc-i. calc-m. calc-p. calc-sil. Calc. calen. CAMPH. cann-s. canth. Carbac. CARB-AN. Carb-v. Carbn-s. carc. Card-m. cartl-s. castm. Castor-eq. caust. cench. CHAM. Chim. chin. chinin-ar. chinin-s. chir-fl. Chlor. choc. chr-m. cic. cimic. Cist. Clem. cob-m. Cocc. COFF. Colch. coli. coll. Coloc. com. CON. congo-r. cot. croc. Crot-h. Crot-t. Cund. cupr-m. Cupr. cur. Cycl. cypr. Dig. dream-p. Dulc. euph. eupi. fago. falcope. ferr-i. ferr-p. ferr. fic-m. Fl-ac. form-ac. formal. gaert. galeg. galeoc-c-h. Gali. galla-q-r. gels. germ-met. gink-b. gnaph. granit-m. Graph. grat. Guaj. hecla hell. Helo. Helon. HEP. heroin. hip-ac. hipp. hippoc-k. hippoc-k. hippoc-k. hydrog. Hyos. hyper. ign. ina-i. ind. indg. IOD. irid-met. jug-r. kali-bi. kali-br. Kali-c. KALI-CHL. KALI-I. KALI-M. kali-n. kali-p. kali-si. kali-sil. kola Kreos. lac-ac. Lac-c. lac-d. lac-f. lac-h. Lach. lact. lap-a. laur. lavand-a. led. lepi. lil-t. lith-m. lob-e, luna Lyc, lyss, mag-c, mang-m, mang, Med, melal-alt, MERC-C, Merc-d, merc-i-f, MERC, merl, Mez. mim-p. morg-p. mosch. mur-ac. murx. musca-d. naja naphthoq. nat-cac. Nat-m. nat-pyru. nat-tmcy. nicc. Nit-ac. Nux-m. nux-v. oci. ol-an. olnd. Onos. op. orig. osm. Ox-ac. oxal-a. paeon. pall. pant-ac. petr-ra. petr. Ph-ac. Phel. PHOS. PHYT. pic-ac. pip-n. plan. plat. Plb-i. plb-m. plb. plut-n. polyg-h. pot-e. prun. Psor. PULS. pyrog. radbr. Ran-s. raph. rat. rheum rhod. Rhus-t. ribo. ruta sabad. SABAL sabin. sacch. sal-al. Sal-fr. Samb. Sang. sars. scir. scroph-n. Sec. sed-r. sel. semp. Sep. SIL. sinus. skook. sol-a. sol-o. spect. spig. spira. spong. squil. stann. STAPH. stram. stront-m. stry. strych-g. sul-i. SULPH. sumb. syc. symph. syph. tab. tarent-c. tarent. tax. tep. thioc-ac. Thuj. Thyr. tritic-vg. Tub. urol-h. urt-u. ust. valer. vanil. verat-v. verat. vib. vip. x-ray yohim. zinc-m. zinc-p. Zinc.

Breasts - ABSCESS, breasts - nodules, painful and fistulae discharging ichorous pus-phyt.

Breasts - BREAST-feeding, nursing, lactation - induration, of right, burning pain- Con.

Breasts - INDURATION, breasts - nipples - nodules, uneven, in left- Carb-an.

Breasts - INDURATION, breasts - nipples - painful indurations below, size of hazelnut- Carb-an.

Breasts - INDURATION, breasts - nodule, beneath nipple, hard, painful to touch, drawing tearing, with-cham.

Breasts - INDURATION, breasts - right - breast-feeding, during, burning pain- Con.

Breasts - INDURATION, breasts- acon. agar. agn. alumn. ambr. anan. apis arist-cl. arn. Aster. aur-s. Aur. bar-c. Bar-i. bell-p. Bell. Bry. bufo Calc-f. calc-i. calc-p. Calc. CARB-AN. Carb-v. Carbn-s. carc. CHAM. chim. Cist. Clem. coloc. CON. Crot-h. Crot-t. Cupr. cycl. dulc. fago. Graph. hep. Hydr. Iod. kali-c. Kali-chl. Kreos. Lac-c. Lap-a. Lyc. Merc. nat-m. nit-ac. Phos. Phyt. Plb-i. plb. puls. Rhus-t. ruta sang. scroph-n. Sep. SIL. spong. Sul-i. Sulph. Thuj. tub. ust. vip.

Breasts - LUMPS, breasts- Ars-i. bell-p. calc-f. chim. Con. lyc. PHYT. puls. sep. Sil.

Breasts - NODULES, breasts - acuminated, appearance of nodules- Phyt.

Breasts - NODULES, breasts - bluish-red, nodules in left- Carb-an.

Breasts - NODULES, breasts - indurated- CARB-AN. CON. Nit-ac. Sil. Sulph.

Breasts - NODULES, breasts- ars-i. arum-t. Aster. aur. bar-c. BELL-P. Bell. berb-a. Brom. Bry. Bufo Calc-f. Calc-i. calc-p. calc. calen. CARB-AN. Carb-v. carc. cham. Chim. chin. clem. Coloc. CON. crot-t. cund. cupr. dulc. ferr-i. fl-ac. foll. gnaph. Graph. hecla Hydr. Iod. kali-m. kreos. Lac-c. lach. lap-a. Lyc. mang. Merc-i-f. murx. Nit-ac. Phos. PHYT. pitu-a. plb-i. psor. Puls. ruta sabin. sangin-pur. scir. scroph-n. sep. SIL. squil. Sulph. thuj. Thyr. tub.

Breasts - TUMORS, breasts, growths - hard - nodular- sil.

Breasts - TUMORS, breasts, growths - hard - stony, nodulated, not attached to skin, movable and as large as a filbert, lancinating pains - Con. Hydr.

Breasts - TUMORS, breasts, growths - indurated- Ars-i. carb-an. CON. hydr. Kali-i. Lach. phyt.

Breasts - TUMORS, breasts, growths- arn. ars-i. ASTER. BELL-P. Bell. berb-a. Brom. bry. Calc-f. calc-i. Calc-p. calc. calen. Carb-an. carb-v. cham. Chim. cist. clem. CON. Cund. ferr-i. fl-ac. gnaph. goss. Graph. hecla hep. Hydr. Iod. kali-i. Kali-m. Lach. LAP-A. lyc. Merc-i-f. merc. murx. nit-ac. phase. Phos. PHYT. Plb- i. psor. Puls. sabin. sang. Scir. Scroph-n. sec. Sil. skook. sulph. tep. THUJ. Thyr. tub.

Breasts - ULCERS, breasts - indurated tumors- Oena.

CHEST - ABSCESS – Mammae apis Arn. Ars. Bell. Bry. bufo Camph. carb-an. cham. Cist. con. Crot-h. crot-t. graph. HEP. kali-chl. kali-i. kreos. Lach. MERC. paeon. PHOS. PHYT. pyrog. sars. SIL. SULPH. tarent-c.

CHEST - ATROPHY – Mammae anac. anan. ars. bar-c. cham. Chim. chin. COFF. CON. dulc. fago. ferr. IOD. KALI-I. Kreos. lac-d. lach. Nat-m. Nit-ac. Nux-m. onos. plb. sabal sacch. sars. Sec. Sep. sil. STAPH.

CHEST - AXILLA; complaints of - extending to - Mammae caust.

CHEST - BALL; sensation of a - Mamma; under left hura

CHEST - CANCER - Mammae - accompanied by - induration of the mammae alum-sil. aur-n-f. cadm-calc-f. carc. CON.

CHEST - CANCER - Mammae - accompanied by - swelling of mammae cadm-calc-f.

CHEST - CANCER - Mammae - last stage - mastectomy of opposite cancerous mamma; after lac-c.

CHEST - CANCER – Mammae acon. aids. alum. alumn. Apis Arg-n. arn. Ars-i. ars-s-f. Ars. Aster. Aur-ar. aur-m-n. aur-m. Bad. bapt. bar-i. Bell-p. Bell. Brom. bry. BUFO cadm-met. calc-i. calc-sil. calc. Carb-ac. Carb-an. carb-v. carbn-s. carc. caust. cham. Chim. cic. cist. Clem. coloc. CON. congo-r. Cund. cupr. cypr. ferr-i. ferr. form-ac. formal. gaert. Gali. GRAPH. Hep. hip-ac. hippoz. Hydr. ign. iod. kali-br. kali-c. Kali-i. kreos. lac-c. Lach. lap-a. lob-e. Lyc. mag-c. Merc-d. Merc-i-f. MERC. naja nat-cac. nat-tmcy. Nit-ac. ol-an. Ox-ac. ph-ac. Phos. Phyt. Plb-i. Psor. Puls. rad-br. rhus-t. Sang. sars. scir. scroph-n. sed-r. semp. Sep. SIL. strych-g. sul-i. Sulph. tarent. thuj. tub. zinc.

CHEST - CHICKEN BREAST kali-c. lac-ac.

CHEST - CHILLINESS in - Mammae, shivering in cimic. Cocc. con. dig. Guaj. nux-v. petr. rhus-t.

CHEST - CICATRICES; old - Mammae; in carb-an. GRAPH. Phyt. SIL.

CHEST - COLD - agg. – Mammae sabal

CHEST - COLDNESS - Mammae Bry. chin. cimic. Cocc. dig. Med. rhus-t.

CHEST - CONGESTION - Mammae acon. apis ferr. phos. yohim.

CHEST - CONSTRICTION - Mammae lil-t. sang. stram. verat.

CHEST - CONTUSIONS - Mammae arn.

CHEST - COUGH - during - agg. - Mammae con.

CHEST - CRACKS - Mammae Caust. graph. Sulph.

CHEST - DISTENSION - Mammae aster. zinc.

CHEST - EMACIATION – Mammae ars-i. bar-c. cench. cham. chin. COFF. Con. ferr. iod. Kali-i. kreos. lac-d. nat-m. nit-ac. Nux-m. Onos. sabal sec. sep. sil.

CHEST - EMPTINESS, sensation of – Mammae BORX.

CHEST - ENLARGED sensation - Mammae cycl.

CHEST - ERUPTIONS - Mammae - furfuraceous, between mammae aster.

```
CHEST - ERUPTIONS - Mammae amp. arge-pl. ars. aster. bufo Caust. falco-pe. graph. grat. hep. led. lyc. nat-m.
phos. pip-n. psor. rhus-t. sinus. staph. tab. valer.
CHEST - ERYSIPELAS of mammae acon. anan. APIS arn. Bell. Bry. cadm-s. Carb-an. Carb-v. Carbn-s. Cham. coll.
graph. Phos. plan. Sulph.
CHEST - FISTULOUS openings - Mammae; in alum. Caust. Hep. Merc. Phos. Phyt. SIL.
CHEST - FLABBY mammae bell. calc. cham. CON. graph. hydr. IOD. kali-i. kreos. nit-ac. nux-m. nux-v. onos. sars.
CHEST - FLUTTERING – Mammae plut-n.
CHEST - FORMICATION - Mammae calc. chin. con. mang. ran-s. sabin.
CHEST - FULLNESS - Mammae - sensation of fullness - milk in mammae; as if choc.
CHEST - FULLNESS - Mammae bell. Bry. Calc-p. calc. choc. clem. cycl. Dulc. Kali-c. Lac-c. lact. merc. nux-v. phos.
Phyt. plut-n. sabal sec. Sep. spect. zinc.
CHEST - GURGLING - Mammae crot-t.
CHEST - HEAT - Mammae Acon. Apis arn. ARS. bar-c. bell. benz-ac. bry. calc-p. calc. Cann-s. Carb-an. carb-v.
cham, clem, cocc, con, graph, hep, laur, lyc, Merc, nit-ac, phos, phyt, Puls, rhus-t, sep, Sil, SULPH.
CHEST - HYPERTROPHY - Mammae bell-p. bell. bry. calc-p. Calc. chim. Con. cycl. hep. hydrog. iod. kali-i. med.
nat-m. Nux-v. petr-ra. phos. Phyt. sep. sulph.
CHEST - INDURATION - Mammae - abscess, after Con. Graph.
CHEST - INDURATION - Mammae - blows; after arn. bell-p. carb-an. Con.
CHEST - INDURATION - Mammae - children; in – infants cham.
CHEST - INDURATION - Mammae - cicatrices, in GRAPH. phyt.
CHEST - INDURATION - Mammae - contusion, after arn. ars-i. Bell-p. carb-an. Con. cund. kali-chl.
CHEST - INDURATION - Mammae - delivery; after phyt.
CHEST - INDURATION - Mammae - left Aster, calc, carc. CON. Cund. KALI-CHL. lap-a, phyt. SIL.
CHEST - INDURATION - Mammae - menses - absent dulc.
CHEST - INDURATION - Mammae - menses - before - agg. bry. Con. lac-c. sang.
CHEST - INDURATION - Mammae - menses - during - agg. carb-an. con.
CHEST - INDURATION - Mammae - Nipples agar. Bry. Calc. Carb-an. graph. Merc. sulph. thuj.
CHEST - INDURATION - Mammae - painful on touch clem. con. cund. hydr. Kali-chl. Phyt. thuj.
CHEST - INDURATION - Mammae - red; but not calc. con.
CHEST - INDURATION - Mammae - right Arn. CON. graph. hydr. irid-met. kali-chl. lyc. Phyt. thuj. vip.
CHEST - INDURATION - Mammae - stone; like phyt.
CHEST - INDURATION - Mammae alum-sil. alumn. ambr. anan. apis Ars-i. ars. Aster. Aur. BAR-I. Bell. Bry. bufo
calc-f, calc-i, calc-p, Calc, CARB-AN, Carb-v, Carbn-s, CHAM, chim, Cist, Clem, coloc, CON, Crot-h, Crot-t, cund.
Cupr. cycl. dulc. Graph. hep. Hydr. hyos. ina-i. Iod. KALI-CHL. Kali-m. Kreos. Lac-c. lap-a. Lyc. mang. Merc. nit-
ac. petr. Phos. Phyt. Plb-i. plb. puls. Rhus-t. ruta sabin. Sep. SIL. spong. sul-i. Sulph. Thuj. tub. ust. vip.
CHEST - INFLAMMATION - Mammae - bronchitis, with phel.
CHEST - INFLAMMATION - Mammae - bruises, from Arn. bell-p. con. hep.
CHEST - INFLAMMATION - Mammae - chronic carc. fl-ac.
CHEST - INFLAMMATION - Mammae - delivery - after arn. BELL. bry. calc. carb-an. carb-v. con. graph. merc.
Phos. puls. SIL. sulph.
CHEST - INFLAMMATION - Mammae - delivery - during bell.
CHEST - INFLAMMATION - Mammae - excitement agg. phyt.
CHEST - INFLAMMATION - Mammae - left cist. PHYT.
CHEST - INFLAMMATION - Mammae - motion agg. bry.
CHEST - INFLAMMATION - Mammae - Nipples acon. arn. bell. Bry. Cadm-s. calc. cann-s. carb-an. Castor-eq.
Cham. graph. helon. lyc. petr. Phos. Phyt. pic-ac. puls. sep. Sil. sulph.
CHEST - INFLAMMATION - Mammae - nursing mothers; in bamb-a, Phyt. sil.
CHEST - INFLAMMATION - Mammae - pregnancy agg.; during Bell. Bry.
CHEST - INFLAMMATION - Mammae - right bell. phel.
CHEST - INFLAMMATION - Mammae – Skin morg-p.
CHEST - INFLAMMATION - Mammae acon-l. Acon. anan. ant-t. Apis arn. ars. bell-p. BELL. BRY. bufo Cact. calc.
CAMPH. Carb-an. Carb-v. Carbn-s. carc. Card-m. Castor-eq. Cham. Cist. clem. Con. Crot-t. cur. dulc. ferr-p. ferr.
```

galeg, graph. HEP. lac-ac. lac-c. Lach. laur. Lyc. Merc-d. Merc, naphthog, op. petr. phel. Phos. PHYT. plan. plb.

CHEST - INJURIES - Mammae; to arn. ars-i. Bell-p. calen. carb-an. con. Cund. kali-chl. phos. ruta

Puls. pyrog. rhus-t. sabad. sabal Samb. SIL. SULPH. ust. verat-v. x-ray

CHEST - INTERTRIGO - Mammae syc.

CHEST - ITCHING – Mammae agar. alum-p. alum. anac. ang. ant-c. arge-pl. arn. ars. bar-c. bar-s. berb. bov. calc. canth. carb-v. carbn-s. castor-eq. Caust. CON. Dulc. hipp. jug-r. Kali-c. led. lyc. mez. nat-m. nicc. nux-v. phel. Phos. plb. ran-s. rhus-t. ribo. sabad. sep. sil. spong. squil. staph. sulph.

CHEST - JERKS - Mammae croc.

CHEST - LARGE - Mammae chim.

CHEST - LUMPS - Mammae; between raph.

CHEST - MAMMAE; complaints of acon. alum. am-c. ambr. Apis Arn. Ars. asaf. bar-c. Bell. borx. BRY. bufo Calc. camph. cann-s. CARB-AN. carb-v. caust. CHAM. chim. Clem. cocc. coloc. CON. croc. cupr. dig. dulc. ferr. graph. guaj. Hep. hydr. iod. kali-c. kreos. lac-ac. lac-c. laur. lepi. lyc. mang. merc. mez. nat-c. nat-m. nit-ac. nux-m. nux-v. oci. op. orig. petr. ph-ac. phel. PHOS. PHYT. plb. Puls. ran-s. rheum rhus-t. ruta sabal sabin. samb. scroph-n. sep. SIL. Sulph. thuj. urt-u. verat. zinc.

CHEST - MENSES - after - agg. – Mammae berb. cycl.

CHEST - MENSES - before - agg. - Mammae bry. calc. Con. KALI-M. LAC-C. lyc. ol-an. Phyt. puls.

CHEST - MENSES - during - agg. – Mammae berb. bry. Calc. carb-an. Caust. Cham. CON. dulc. grat. Helo. helon. Iod. Lac-c. merc. murx. phel. PHOS. PHYT. rhus-t. sang. thuj. vib. zinc.

CHEST - NIGHT - Mammae bufo

CHEST - NODULES, sensitive — Mammae aids. arn. ARS. aur. Bell-p. Bell. Bry. Bufo calc-f. calc-i. calc-p. CARB-AN. Carb-v. cham. Chim. chin. cist. clem. Coloc. CON. croc. crot-t. cund. cupr. dulc. Graph. Iod. kali-c. kreos. Lac-c. lac-h. Lyc. mang. Merc-d. merc. nat-m. Nit-ac. Phos. PHYT. Puls. rhus-t. ruta sang. scir. scroph-n. sep. SIL. Sulph. thuj. tub. vanil.

CHEST - NUMBNESS - Mammae graph.

CHEST - NURSING - agg. - Mammae - Opposite mamma borx.

CHEST - NURSING - agg. - Mammae ant-t. borx. bry. crot-t. lac-c. lil-t. phel. phyt. Puls. sil.

CHEST - NURSING - amel. - Mammae phel.

CHEST - OPPRESSION - Mammae allox. bry. calc. chin. clem. hyos. Iod. lac-c. lil-t. petr-ra. phyt. plut-n. tax. thuj. tritic-vg.

CHEST - PAIN - Axillae - extending to - Mammae caust.

CHEST - PAIN – Mammae acon. aesc. aeth. agath-a. aids. all-s. allox. aln. aloe alum. Am-c. am-m. ambr. anan. ant-c. apis arg-n. arn. ars-i. Ars. arum-t. Asc-t. aster. aur-s. aur. bamb-a. bar-c. bar-i. BELL. berb. Borx. Bov. brom. Bry. Bufo cact. calad. calc-i. calc-p. calc-sil. Calc. Cann-s. canth. Carb-an. carb-v. carbn-s. cartl-s. Cham. Chim. chinin-ar. chinin-s. chir-fl. cic. cimic. clem. Colch. coli. Coloc. com. CON. cot. croc. Crot-t. cycl. dream-p. Dulc. euph. eupi. falco-pe. ferr. galeoc-c-h. galla-q-r. gels. germ-met. gink-b. granit-m. graph. grat. hell. Helon. Hep. hippoc-k. hura hydr. hyper. ind. indg. Iod. irid-met. kali-bi. Kali-c. kali-i. kali-m. kali-p. kali-sil. kola kreos. lac-ac. Lac-c. lac-h. lach. Lap-a. laur. lavand-a. led. lepi. lil-t. luna lyc. med. melal-alt. Merc-d. MERC. merl. Mez. mim-p. mosch. murx. naja nat-c. nat-m. nat-pyru. nit-ac. nux-m. nux-v. ol-an. olnd. onos. orig. oxal-a. pall. pant-ac. Ph-ac. Phel. Phos. Phyt. plat. Plb-i. plb. plut-n. polyg-h. pot-e. prun. psor. puls. Ran-s. rheum rhod. Rhus-t. ruta sabal sabin. sal-fr. sang. Sec. sel. Sep. SIL. spira. spong. stann. stram. stry. Sulph. sumb. symph. syph. tab. tarent-c. thioc-ac. thuj. tritic-vg. tub. urol-h. vanil. verat. zinc-p. zinc.

CHEST - PERSPIRATION – Mammae arg-met. arn. bov. calc. fic-m. hep. kali-n. lyc. plb. rhus-t. sel. sep.

CHEST - PRICKLING - Mammae arg-n. cimic.

CHEST - PULSATION - Mammae Bell. borx. cench. Phos. symph.

CHEST - RIVET or bullet; sensation of a - Mammae; region of lil-t.

CHEST - RUBBING - Mammae choc.

CHEST - SEPARATED sensation - Mammae separated from body plut-n.

CHEST - SMALL mammae - one mamma is smaller than the other SABAL

CHEST - SOFTNESS - Mammae; of heroin. plut-n.

CHEST - SWELLING - Mammae - accompanied by - Inguinal glands; complaints of oci.

CHEST - SWELLING - Mammae - accompanied by - leukorrhea dulc.

CHEST - SWELLING - Mammae - alternating sides lac-c.

CHEST - SWELLING - Mammae - Glands aeth. calc. con. oci. Phyt.

CHEST - SWELLING - Mammae - hot Bell. bry. Calc. Merc. Phos. phyt.

CHEST - SWELLING - Mammae - left - hard, painful cist.

CHEST - SWELLING - Mammae - left cist.

CHEST - SWELLING - Mammae - menopause; during sang.

CHEST - SWELLING - Mammae - menses - after - agg. cycl.

```
CHEST - SWELLING - Mammae - menses - before - agg. aln. alum. am-m. amp. ant-m. aur-m. bamb-a. bar-m. bell. beryl-m. bry. cadm-m. calc-m. Calc. carb-v. carc. cham. Chlor. chr-m. cob-m. Cocc. con. cupr-m. dream-p. granit-m. irid-met. kali-c. Kali-m. kali-s. kola lac-ac. Lac-c. lac-f. lac-h. lith-m. mang-m. merc-d. mur-ac. murx. musca-d. Nat-m. Phos. Phyt. plb-m. pot-e. Puls. rhus-t. sacch. sal-al. spong. stront-m. Tub. zinc-m. zinc.

CHEST - SWELLING - Mammae - menses - during - agg. arge-pl. bry. calc. canth. Cham. Con. dulc. graph. helon. kali-c. lac-c. mag-c. merc. Murx. Phyt. Puls. Sal-fr. sang. sep. thuj. Tub.

CHEST - SWELLING - Mammae - menses - instead of dulc. rat.

CHEST - SWELLING - Mammae - neuralgia of uterus, with each attack of nux-v.

CHEST - SWELLING - Mammae - Nipples - Glands about nipples merc-c.

CHEST - SWELLING - Mammae - Nipples - morning fl-ac. sulph.

CHEST - SWELLING - Mammae - Nipples - right Fl-ac. sulph.

CHEST - SWELLING - Mammae - Nipples calc. Cham. irid-met. lac-ac. Lach. lyc. MERC-C. Merc. orig. phos. sil.
```

CHEST - SWELLING - Mammae - nursing lac-ac. puls.

CHEST - SWELLING - Mammae – painful arg-n. Aster. Bell. Bry. calc. carb-an. Cham. clem. Con. dulc. Helon. Hep. iod. kali-m. Lac-c. lach. Med. merc. onos. Phyt. plb. rad-br. sabal syph.

CHEST - SWELLING - Mammae - perspiration; during bry. calc. cham. Puls. sil.

CHEST - SWELLING - Mammae - secretion of milk, with Asaf. Cycl. Tub. Urt-u.

CHEST - SWELLING - Mammae - touch; sensitive to all-s.

CHEST - SWELLING - Mammae - weaning, after all-s. puls.

CHEST - SWELLING – Mammae aeth. all-s. anan. apis arn. ars-i. asaf. Aster. aur-s. bamb-a. bell-p. Bell. brom. Bry. bufo Calc. Carb-an. castm. Cham. Clem. Con. Crot-t. Cupr. cur. cycl. Dig. dream-p. Dulc. falco-pe. ferr. graph. helo. Helon. Hep. heroin. hydrog. irid-met. kali-c. kali-i. lac-ac. Lac-c. lac-h. Lach. luna lyc. lyss. merc-c. Merc-d. Merc. merl. naja nat-c. nat-m. oci. onos. oxal-a. pant-ac. Phos. Phyt. pip-n. plb. psor. PULS. Rhus-t. ruta sabad. sabin. sal-fr. samb. SIL. sol-a. sol-o. spig. spong. Sulph. tarent. tritic-vg. tub. urt-u. vip. Zinc.

CHEST - SWELLING - sensation of - Mammae benz-ac. berb. calc-p. lach.

CHEST - TENSION – Mammae Bamb-a. Bry. cycl. kola puls. spong. tritic-vg. vanil.

CHEST - TICKLING in - Mammae sabin. sep.

CHEST - TINGLING - Mammae in falco-pe. melal-alt. sabin. sal-fr.

CHEST - TUMORS - Mammae - accompanied by - perspiration; hot merc-i-f.

CHEST - TUMORS - Mammae - accompanied by - Stomach; complaints of merc-i-f.

CHEST - TUMORS - Mammae - fibrocystic phos. phyt. puls. sil.

CHEST - TUMORS - Mammae - fibroid Thyr.

CHEST - TUMORS - Mammae - hard scirrhus-like con.

CHEST - TUMORS - Mammae - injury from arn.

CHEST - TUMORS - Mammae – left Calc-p.

CHEST - TUMORS - Mammae – painful hydr. phyt.

CHEST - TUMORS – Mammae aids. ars-br. ars-i. aster. Bell. berb-a. brom. bry. Calc-f. calc-i. calc. calen. Carb-an. cham. chim. clem. CON. Cund. ferr-i. gnaph. Graph. hecla Hydr. Hyos. iod. kali-i. Lach. lap-a. lyc. merc-i-f. merc. murx. nit-ac. osm. ph-ac. phel. Phos. Phyt. plat. Plb-i. psor. Puls. sabin. sang. Scir. Scroph-n. sec. Sil. skook. tep. thuj. thyr. tub.

CHEST - TUMORS - Mammary gland; male - left - walnut; like a bar-c. calc-p.

CHEST - TUMORS - Mammary gland; male - right thuj.

CHEST - TUMORS - Mammary gland; male - walnut; like a bar-c. calc-p.

CHEST - TWITCHING - Mammae sulph.

CHEST - ULCERS - Mammae alum-sil. alum. ars-i. ars-s-f. ars. aster. Calc. calen. clem. Hep. hydr. kreos. Merc. paeon. Phos. PHYT. SIL. sulph. thuj.

Children - BREASTS, induration and swelling, infants- acon. arn. bell. bry. calc. hep. sil.

Children - INFANTS, general - breasts, induration and swelling - erysipelatous inflammation, induration, swelling, tender to touch- Cham.

Children - INFANTS, general - breasts, induration and swelling- acon. arn. bell. bry. calc. hep. sil.

Clinical - tumors, general - breast, tumors - hard - stony, nodulated, not attached to skin, movable and as large as a filbert, lancinating pains- Con. Hydr.

Clinical - tumors, general - breast, tumors - indurated- Carb-an. Con. Hydr.

Clinical - tumors, general - breast, tumors - scirrhus - of right, size of hen's egg, hard, nodulated, tender to touch, stinging pain- sep.

Clinical - tumors, general - breast, tumors- Ars-i. Aster. Bell-p. Bell. berb-a. Brom. bry. Calc-f. calc. calen. Carb-an. cham. Chim. clem. Con. Cund. ferr-i. gnaph. Graph. hecla Hydr. Iod. Kali-i. kali-m. Lach. lap-a. lyc. Merc-i-f. murx. nit-ac. Phos. Phyt. Plb-i. psor. Puls. sabin. sang. Scir. Scroph-n. sec. Sil. skook. Thuj. Thyr. tub.

Clinical - tumors, general - breasts, tumors, nipples- carb-an. con.

Clinical - tumors, general – fibroma- arb. bell. bry. Calc-f. Calc-i. Calc-s. Calc. chol. chr-s. Con. fl-ac. frax. graph. hydr. Hydrin-m. Kali-br. Kali-i. Lap-a. led. lil-t. lyc. Phos. phyt. Sec. Sil. tarent. ter. teucr. thiosin. thlas. thyr. tril-p. ust. xan.

Constitutions - INFANTS, constitutions - breasts, induration and swelling- acon. arn. bell. bry. calc. hep. sil.

Constitutions - INFANTS, constitutions - breasts, induration and swelling - erysipelatous inflammation, induration, swelling, tender to touch- Cham.

External chest - Induration, hard, rose higher in breast- carb-an.

FEMALE - TUMORS - general – fibroma- aesc. agn. am-m. apis ars. aur-i. aur-m-n. aur. bell. berb. brom. bufo calc-f. calc-i. calc-p. calc-s. calc-st-s. calc. calen. carb-an. carc. chin. chlf. cob-n. coloc. con. crot-h. cub. erod. ferr. fl-ac. foll. frax. goss. graph. ham. hep. hydr. hydrc. hydrinin-m. iod. ip. kali-br. kali-c. kali-i. lach. lap-a. led. lil-t. lyc. lys. med. meph. merc-c. merc-i-f. merc. morg-p. nat-c. nit-ac. nux-v. phos. phyt. plat. plb. podo. puls. sabal sabin. sang. sanic. sarr. sec. sep. sil. solid. staph. sul-ac. sulph. tarent. ter. teucr. thiosin. thlas. thuj. thyr. tril-p. tub. ust. vinc. viol-o. x-ray xan.

Female sexual organs - Rose higher, hard induration in breast- carb-an.

Pregnancy - BREASTS, nodules, during-Fl-ac.

Pulse - FAST, pulse, elevated, exalted - breast tumor, in-Ars-i.

Bibliography

Adolescence > 1. Fibroadenoma CURRENT Diagnosis & Treatment: Pediatrics, 22e ... quadrant of the breast. Management is observation. Giant juvenile fibroadenoma Large, > 5 cm...

Breast CancerHarrison's Principles of Internal Medicine

Breast Disorders > FIBROADENOMA OF THE BREAST CURRENT Diagnosis & Treatment: Surgery, 14e ... are found in 10%-15% of patients. The typical fibroadenoma is a round or ovoid, rubbery, discrete...

Breast Disorders > FIBROADENOMA OF THE BREAST Current Medical Diagnosis & Treatment 2015 ... if the diagnosis is uncertain. Cryoablation, or freezing of the fibroadenoma, appears to be a safe procedure...

Breast Disorders > FIBROADENOMA OF THE BREAST Current Medical Diagnosis & Treatment 2016
Multiple tumors are found in 10–15% of patients. The typical fibroadenoma is a round or ovoid, rubbery...

Breast Pathology > Fibroadenoma Pathology: A Modern Case Study ... phyllodes tumor. Fibroadenomas are the most common benign tumor of the female breast and arise from...

Chapter 108. Breast Disorders Tintinalli's Emergency Medicine

Chapter 119. Appendage Tumors and Hamartomas of the Skin > Apocrine Fibroadenoma Fitzpatrick's Dermatology in General Medicine, 8e

Chapter 12. Breast Disease > Fibroadenoma Williams Gynecology, 2e ... Fibroadenomas represent a focal developmental abnormality of a breast lobule...

Chapter 12. Breast Disease Williams Gynecology, 2e

Chapter 17. Pathology of the Male and Female Reproductive Tract and Breast > ibroadenoma Pathology: The Big Picture ... development of cancer. A fibroadenoma can be "shelled out" at surgery (i.e., removed without a rim of breast...

Oncology, 2e



Chapter 27. Special Situations in Breast Cancer The MD Anderson Manual of Medical Oncology, 2e

Chapter 5. The Breast > Fibroadenoma of the Breast CURRENT Diagnosis & Treatment: Obstetrics & Gynecology, 11e

Clinical Procedures Tutorial: Fine Needle Aspiration of Breast Cyst Harrison's Principles of Internal Medicine



Introduction to Women's Imaging > CASE 17: FIBROADENOMA Introduction to Diagnostic Radiology

Neoplasia During Pregnancy > BREAST CANCER DURING PREGNANCY Harrison's Principles of Internal Medicine ... TABLE 124e-3 Differences in Breast Cancers in Pregnant and Nonpregnant Women...

The Breast > Fibroadenomas Schwartz's Principles of Surgery, 10e ...-guided vacuum assisted biopsy are approved treatments for fibroadenomas of the breast, especially lesions...

The Chest: Chest Wall, Pulmonary, and Cardiovascular Systems; The Breasts > Fibroadenoma DeGowin's Diagnostic Examination, 10e ... This is usually found in a young woman with large breasts. The ovoid or lobulated nodule...



DIAGNOSTIC EXAMINATION